

mod_bigbluebuttonbn

Fehler: DDL sql execution

Weitere Informationen über diesen Fehler

Debug-Info: Table 'mdl_bigbluebuttonbn' already exists

```
CREATE TABLE mdl_bigbluebuttonbn (  
id BIGINT(10) NOT NULL auto_increment,  
type TINYINT(2) NOT NULL DEFAULT 0,  
course BIGINT(10) NOT NULL DEFAULT 0,  
name VARCHAR(255) COLLATE utf8mb4_general_ci NOT NULL DEFAULT "",  
intro LONGTEXT COLLATE utf8mb4_general_ci,  
introformat SMALLINT(4) NOT NULL DEFAULT 1,  
meetingid VARCHAR(255) COLLATE utf8mb4_general_ci NOT NULL DEFAULT "",  
moderatorpass VARCHAR(255) COLLATE utf8mb4_general_ci NOT NULL DEFAULT "",  
viewerpass VARCHAR(255) COLLATE utf8mb4_general_ci NOT NULL DEFAULT "",  
wait TINYINT(1) NOT NULL DEFAULT 0,  
record TINYINT(1) NOT NULL DEFAULT 0,  
recordallfromstart TINYINT(1) NOT NULL DEFAULT 0,  
recordhidebutton TINYINT(1) NOT NULL DEFAULT 0,  
welcome LONGTEXT COLLATE utf8mb4_general_ci,  
voicebridge MEDIUMINT(5) NOT NULL DEFAULT 0,  
openingtime BIGINT(10) NOT NULL DEFAULT 0,  
closingtime BIGINT(10) NOT NULL DEFAULT 0,  
timecreated BIGINT(10) NOT NULL DEFAULT 0,  
timemodified BIGINT(10) NOT NULL DEFAULT 0,  
presentation LONGTEXT COLLATE utf8mb4_general_ci,  
participants LONGTEXT COLLATE utf8mb4_general_ci,  
userlimit SMALLINT(3) NOT NULL DEFAULT 0,  
recordings_html TINYINT(1) NOT NULL DEFAULT 0,  
recordings_deleted TINYINT(1) NOT NULL DEFAULT 1,  
recordings_imported TINYINT(1) NOT NULL DEFAULT 0,  
recordings_preview TINYINT(1) NOT NULL DEFAULT 0,  
clienttype TINYINT(1) NOT NULL DEFAULT 0,  
muteonstart TINYINT(1) NOT NULL DEFAULT 0,  
CONSTRAINT PRIMARY KEY (id)  
)  
ENGINE = InnoDB  
DEFAULT COLLATE = utf8mb4_general_ci ROW_FORMAT=Compressed  
COMMENT='The bigbluebuttonbn table to store information about a meeti'  
;  
CREATE TABLE mdl_bigbluebuttonbn_logs (  
id BIGINT(10) NOT NULL auto_increment,  
type TINYINT(2) NOT NULL DEFAULT 0,  
course BIGINT(10) NOT NULL DEFAULT 0,  
name VARCHAR(255) COLLATE utf8mb4_general_ci NOT NULL DEFAULT "",  
intro LONGTEXT COLLATE utf8mb4_general_ci,  
introformat SMALLINT(4) NOT NULL DEFAULT 1,  
meetingid VARCHAR(255) COLLATE utf8mb4_general_ci NOT NULL DEFAULT "",  
moderatorpass VARCHAR(255) COLLATE utf8mb4_general_ci NOT NULL DEFAULT "",  
viewerpass VARCHAR(255) COLLATE utf8mb4_general_ci NOT NULL DEFAULT "",  
wait TINYINT(1) NOT NULL DEFAULT 0,  
record TINYINT(1) NOT NULL DEFAULT 0,  
recordallfromstart TINYINT(1) NOT NULL DEFAULT 0,  
recordhidebutton TINYINT(1) NOT NULL DEFAULT 0,  
welcome LONGTEXT COLLATE utf8mb4_general_ci,  
voicebridge MEDIUMINT(5) NOT NULL DEFAULT 0,  
openingtime BIGINT(10) NOT NULL DEFAULT 0,  
closingtime BIGINT(10) NOT NULL DEFAULT 0,  
timecreated BIGINT(10) NOT NULL DEFAULT 0,  
timemodified BIGINT(10) NOT NULL DEFAULT 0,  
presentation LONGTEXT COLLATE utf8mb4_general_ci,  
participants LONGTEXT COLLATE utf8mb4_general_ci,  
userlimit SMALLINT(3) NOT NULL DEFAULT 0,  
recordings_html TINYINT(1) NOT NULL DEFAULT 0,  
recordings_deleted TINYINT(1) NOT NULL DEFAULT 1,  
recordings_imported TINYINT(1) NOT NULL DEFAULT 0,  
recordings_preview TINYINT(1) NOT NULL DEFAULT 0,  
clienttype TINYINT(1) NOT NULL DEFAULT 0,  
muteonstart TINYINT(1) NOT NULL DEFAULT 0,  
CONSTRAINT PRIMARY KEY (id)  
)  
ENGINE = InnoDB  
DEFAULT COLLATE = utf8mb4_general_ci ROW_FORMAT=Compressed  
COMMENT='The bigbluebuttonbn_logs table to store information about a meeti'  
;
```

```
id BIGINT(10) NOT NULL auto_increment,  
courseid BIGINT(10) NOT NULL,  
bigbluebuttonbnid BIGINT(10) NOT NULL,  
userid BIGINT(10),  
timecreated BIGINT(10) NOT NULL DEFAULT 0,  
meetingid VARCHAR(256) COLLATE utf8mb4_general_ci NOT NULL DEFAULT "",  
log VARCHAR(32) COLLATE utf8mb4_general_ci NOT NULL DEFAULT "",  
meta LONGTEXT COLLATE utf8mb4_general_ci,  
CONSTRAINT PRIMARY KEY (id)  
, KEY mdl_bigblogs_cou_ix (courseid)  
)  
ENGINE = InnoDB  
DEFAULT COLLATE = utf8mb4_general_ci ROW_FORMAT=Compressed  
COMMENT='The bigbluebuttonbn table to store meeting activity events'  
Error code: ddlexecuteerror
```